



COUNTY OF LOS ANGELES

DEPARTMENT OF PUBLIC WORKS

"To Enrich Lives Through Effective and Caring Service"

900 SOUTH FREMONT AVENUE
ALHAMBRA, CALIFORNIA 91803-1331
Telephone: (626) 458-5100
<http://dpw.lacounty.gov>

DEAN D. EFSTATHIOU, Acting Director

ADDRESS ALL CORRESPONDENCE TO:
P.O. BOX 1460
ALHAMBRA, CALIFORNIA 91802-1460

October 9, 2008

IN REPLY PLEASE
REFER TO FILE:

LD-0

TO: Each Supervisor

FROM: Dean D. Efstathiou
Acting Director of Public Works

Bruce W. McClendon, FAICP
Director of Planning
Department of Regional Planning

CONSULTATION WITH WATER AGENCIES SERVING THE UNINCORPORATED COUNTY—FINAL REPORT BOARD MOTION OF JULY 1, 2008, AGENDA ITEM NO. 69

As requested by your Board, this report addresses how the drought impacts the land development review process for both discretionary and ministerial permit applications and how future actions by water agencies affect development projects in the unincorporated area. Public Works and Regional Planning collaborated on the necessary research and activities in preparing this report.

We contacted 61 water agencies serving the unincorporated County areas. The following summary identifies the number of agencies which will continue to provide water service to new development during the current drought conditions. The background details of this summary is itemized by Supervisorial District and included as Attachment No. 1. Please note that 10 of the 61 water agencies have service areas that cover multiple Supervisorial Districts as well as multiple unincorporated County communities.

Discretionary Project Permits (subdivisions, conditional use permits, zone changes): 39 out of the 60 (65 percent) responding water agencies indicated they would continue to provide water service for discretionary development projects. However, 16 out of the 60 agencies indicated they would not. In addition, 5 out of the 60 agencies indicated the area they serve is developed and they do not anticipate any new customers (see Attachment No. 1). This information is broken down by Supervisorial District in the following table:

| SUMMARY OF RESPONSES FOR DISCRETIONARY DEVELOPMENT PROJECTS BY SUPERVISORIAL DISTRICT | | | | | | | |
|--|-------|-------------------------------|------|--------------------------------|------|--------------------------------------|------|
| SD | TOTAL | WILL SERVE NEW DEVELOPMENT | | WON'T SERVE NEW DEVELOPMENT | | DON'T EXPECT ANY NEW CUSTOMERS | |
| 1 | 11 | 9 | 82% | 2 | 17% | 0 | ---- |
| 2 | 6 | 4 | 67% | 1 | 17% | 1 | 17% |
| 3 | 3 | 3 | 100% | 0 | ---- | 0 | ---- |
| 4 | 10 | 8 | 80% | 0 | ---- | 2 | 18% |
| 5 | 45 | 29 | 63% | 14 | 31% | 3 | 7% |

Ministerial Project Permits (building permits): 51 of the 60 (85 percent) responding agencies indicated they would continue to provide water service for ministerial development projects. However, 4 out of the 60 agencies indicated that they would not. In addition, 5 out of the 60 agencies indicated the area they serve is developed and they do not anticipate any new customers (see Attachment No. 1). This information is broken down by Supervisorial District in the following table:

| SUMMARY OF RESPONSES FOR MINISTERIAL DEVELOPMENT PROJECTS BY SUPERVISORIAL DISTRICT | | | | | | | |
|--|-------|-------------------------------|------|--------------------------------|------|--------------------------------------|------|
| SD | TOTAL | WILL SERVE NEW DEVELOPMENT | | WON'T SERVE NEW DEVELOPMENT | | DON'T EXPECT ANY NEW CUSTOMERS | |
| 1 | 11 | 11 | 100% | 0 | ---- | 0 | ---- |
| 2 | 6 | 5 | 83% | 1 | ---- | 0 | ---- |
| 3 | 3 | 3 | 100% | 0 | ---- | 0 | ---- |
| 4 | 10 | 8 | 80% | 0 | ---- | 2 | 18% |
| 5 | 45 | 40 | 87% | 3 | 7% | 3 | 7% |

Future Actions:

New Fees: Thirty agencies responded that they plan to impose fees for new water supplies or improved water supply reliability so that they could provide water service to new development.

Public Documents: Fourteen agencies responded that in the near future they may be revising either their water supply assessments, environmental documents, or urban water management plans to more accurately reflect current available water supplies as a result of the current drought conditions.

Each Supervisor
October 9, 2008
Page 3

Recycled Water: Twenty-nine agencies currently do or will be requiring new development in the near future to utilize recycled water, if available, and/or implement additional water conservation measures to help reduce reliance on imported water supplies.

The attached spreadsheets summarize all the water agency responses by Supervisorial District, along with a copy of the cover letter and questionnaire that was originally sent to each water agency. A map showing the location of the 61 water agencies serving the unincorporated County area is also attached.

Conclusion

It was clear from our consultations that the water agencies which serve unincorporated County areas are aware of the impending issues regarding water supply and are pursuing appropriate actions.

We anticipate that as the drought continues and water supplies become more scarce, new development in the unincorporated County areas will be impacted to varying degrees. Customers of water agencies that rely most heavily on imported water and have limited or no local water supplies will experience the most significant impact. In general, those water agencies that have access to multiple sources of supply such as local groundwater, imported surface water, groundwater banking, and recycled water will be better able to adjust to climatic and regulatory issues that impact available annual supplies. By promoting water conservation, the use of recycled water, groundwater banking, and groundwater recharge of stormwater, water agencies will be able to rely less on imported water supplies.

We will continue to update your offices periodically regarding the availability of water supplies from the water companies in your District.

DH:la

P:\ldpub\ADMIN\STEVE S\DRAFT WATER REPORT (rev 10 07 08).doc

Attach.

cc: Chief Executive Office (Lari Sheehan)
Executive Office
Internal Services Department (Thomas Tindall, Howard Choy)
Department of Regional Planning (Bruce McClendon, Paul McCarthy)

Attachment No. 1

Discretionary Project Permits: 39 out of the 60 responding water agencies indicated they would continue to provide water service for discretionary development projects.

- SD1: (9) Azusa Light and Water Company, California Water Service Company (East Los Angeles), Golden State Water Company, La Puente Valley County Water District, Orchard Dale Water District, Rowland Water District, San Gabriel Valley Water Company, Suburban Water Systems, and Walnut Valley Water District.
- SD2: (4) City of Los Angeles Department of Water and Power, Golden State Water Company, Lynwood Park Mutual Water Company, and Park Water Company.
- SD3: (3) LA County Waterworks District (WWD) No. 29, Las Virgenes Municipal Water District, and City of Los Angeles Department of Water and Power.
- SD4: (8) Golden State Water Company, Marina del Rey Water System (WWD No. 80), City of Los Angeles Department of Water and Power, Orchard Dale Water District, Rowland Water District, San Gabriel Valley Water Company, Suburban Water Systems, and Walnut Valley Water District.
- SD5: (29) Azusa Light and Water, California Water Service Company (Lancaster), Crescenta Valley Water District, East Pasadena Water Company, City of Glendora, Golden State Water Company, Green Valley County Water District, Kinneloa Irrigation District, Las Virgenes Municipal Water District, LA County WWD No. 21, LA County WWD No. 36, LA County WWD No. 37, Littlerock Creek Irrigation District, Llano del Rio Water Company, Llano Mutual Water Company, Newhall County Water District, Palmdale Water District, Quartz Hill Water District, Rowland Water District, San Gabriel County Water District, Santa Clarita Water Division, Suburban Water Systems, Sundale Mutual Water Company, Sunny Slope Water Company, Valencia Heights Water Company, Valencia Water Company, West Valley County Water District, White Fence Farms Mutual Water Company, and Wilsona Gardens Mutual Water Company.

However, 16 out of the 60 agencies indicated they would not. Those water agencies are in the following Supervisorial Districts:

- SD1: (2) City of Covina and Walnut Park Mutual Water Company
- SD2: (1) Sativa Los Angeles County Water District
- SD3: (0)
- SD4: (0)
- SD5: (14) Aqua J Mutual Water Company, City of La Verne, City of Covina, El Dorado Mutual Water Company, La Canada Irrigation District, Las Flores Water Company, Lake Elizabeth Mutual Water Company, Lincoln Avenue Water Company, LA County WWD No. 40, Palm Ranch Irrigation District, Rubio Canon Land and Water Association, Shadow Acres Mutual Water Company, Sunnyside Farms Mutual Water Company, and Westside Park Mutual Water Company

In addition, 5 out of the 60 agencies indicated the area they serve is developed and they do not anticipate any new customers. These agencies included:

- SD1: (0)
- SD2: (1) California American Water Company
- SD3: (0)
- SD4: (2) California Domestic Water Company and La Habra Heights County Water District
- SD5: (3) Big Rock Mutual Water Company, California American Water Company, and Little Baldy Mutual Water Company

Ministerial Project Permits: 51 of the 60 responding agencies indicated they would continue to provide water service for ministerial development projects.

- SD1: (11) Azusa Light and Water Company, California Water Service Company (East Los Angeles), City of Covina, Golden State Water Company, La Puente Valley County Water District, Orchard Dale Water District, Rowland Water District, San Gabriel Valley Water Company, Suburban Water Systems, Walnut Valley Water District, and Walnut Park Mutual Water Company.
- SD2: (5) California American Water Company, City of Los Angeles Department of Water and Power, Golden State Water Company, Lynwood Park Mutual Water Company, and Park Water Company.
- SD3: (3) City of Los Angeles Department of Water and Power, LA County WWD No. 29, and Las Virgenes Municipal Water District

- SD4: (8) Golden State Water Company, Marina del Rey Water System (WWD No. 80), City of Los Angeles Department of Water and Power, Orchard Dale Water District, Rowland Water District, San Gabriel Valley Water Company, Suburban Water Systems, and Walnut Valley Water District
- SD5: (40) Azusa Light and Water, California American Water Company, California Water Service Company (Lancaster), City of Covina, City of Glendora, City of La Verne, Crescenta Valley Water District, East Pasadena Water Company, Golden State Water Company, Green Valley County Water District, El Dorado Mutual Water Company, Kinneloa Irrigation District, La Canada Irrigation District, LA County WWD No. 21, LA County WWD No. 36, LA County WWD No. 37, LA County WWD No. 40, Lake Elizabeth Mutual Water Company, Las Flores Water Company, Las Virgenes Municipal Water District, Littlerock Creek Irrigation District, Llano Del Rio Water Company, Llano Mutual Water Company, Newhall County Water District, Palmdale Water District, Quartz Hill Water District, Palm Ranch Irrigation District, Rowland Water District, San Gabriel County Water District, Santa Clarita Water Division, Shadow Acres Mutual Water Company, Suburban Water Systems, Sundale Mutual Water Company, Sunny Slope Water Company, Sunnyside Farms Mutual Water Company, Valencia Heights Water Company, Valencia Water Company, West Side Park Mutual Water Company, White Fence Farms Mutual Water Company, and Wilsona Gardens Mutual Water Company.

However, the following four agencies have indicated that they would not:

- SD1: (0)
 SD2: (1) Sativa L.A. County Water District
 SD3: (0)
 SD4: (0)
 SD5: (3) Aqua J Mutual Water Company, Lincoln Avenue Water Company, and Rubio Canon Land and Water Association.

In addition, 5 out of the 60 agencies indicated the area they serve is developed and they do not anticipate any new customers. These agencies included:


- SD1: (0)
 SD2: (0)
 SD3: (0)
 SD4: (2) California Domestic Water Company and La Habra Heights County Water District
 SD5: (3) Big Rock Mutual Water Company, Little Baldy Mutual Water Company, and West Valley County Water District

Water Purveyors Surveyed

LEGEND

| NO. | SD | SD UNINC* | WATER PURVEYOR |
|-----|---------------|------------|--|
| 1 | 5 | 5 | Aqua-J Mutual Water Company |
| 2 | 1, 5 | 1, 5 | Azusa Light and Water (City of Azusa) |
| 3 | 5 | 5 | Big Rock Mutual Water Company |
| 4 | 1, 2, 5 | 2, 5 | California American Water Company- (Rosemead) |
| 5 | 4 | 4 | California Domestic Water Company |
| 6 | 1 | 1 | California Water Service Company (East Los Angeles) |
| 7 | 5 | 5 | California Water Service Company - (Lancaster) |
| 8 | 5 | 5 | Covina, City of |
| 9 | 5 | 5 | Crescenta Valley Water District |
| 10 | 5 | 5 | East Pasadena Water Company |
| 11 | 5 | 5 | El Dorado Mutual Water Company |
| 12 | 5 | 5 | Glendora, City of |
| 13 | 1, 2, 4, 5 | 1, 2, 4, 5 | Golden State Water Company |
| 14 | 5 | 5 | Green Valley County Water District |
| 15 | 5 | 5 | Kinneloa Irrigation District |
| 16 | 5 | 5 | La Canada Irrigation District |
| 17 | 4 | 4 | La Habra Heights County Water District |
| 18 | 1 | 1 | La Puente Valley County Water District |
| 19 | 5 | 5 | La Verne Water Department (City of La Verne) |
| 20 | 5 | 5 | LACo WW District #21 (Kagel Canyon) |
| 21 | 3 | 3 | LACo WW District #29 (Malibu, Northeast LA) |
| 22 | 5 | 5 | LACo WW District #36 (Val Verde) |
| 23 | 5 | 5 | LACo WW District #37 (Acton) |
| 24 | 5 | 5 | LACo WW District #40 (Lancaster, Pearlblossom, Northeast LA, Lake LA, Rock Creek System) |
| 25 | 4 | 4 | Marina del Rey Water System |
| 26 | 5 | 5 | Lake Elizabeth Mutual Water Company |
| 27 | 5 | 5 | Land Project Mutual Water Company |
| 28 | 5 | 5 | Las Flores Water Company |
| 29 | 3, 5 | 3, 5 | Las Virgenes Municipal Water District |
| 30 | 5 | 5 | Lincoln Avenue Water Company |
| 31 | 5 | 5 | Little Baldy Mutual Water Company |
| 32 | 5 | 5 | Littlerock Creek Irrigation District |
| 33 | 5 | 5 | Llano Del Rio Water Company |
| 34 | 5 | 5 | Llano Mutual Water Company |
| 35 | 1, 2, 3, 4, 5 | 2, 3, 4 | Los Angeles, Department of Water & Power (City of LA) |
| 36 | 2 | 2 | Lynwood Park Mutual Water Company |
| 37 | 5 | 5 | Newhall County Water District (Castaic, Newhall, Pinetree, Tesoro Del Valle) |
| 38 | 1, 4 | 1, 4 | Orchard Dale Water District |
| 39 | 5 | 5 | Palm Ranch Irrigation District |
| 40 | 1, 2, 4 | 1, 2, 4 | Park Water Company (Bellflower, Norwalk, Compton, Lynwood) |
| 41 | 5 | 5 | Quartz Hill Water District |
| 42 | 1, 4, 5 | 1, 4 | Rowland Water District |
| 43 | 5 | 5 | Rubio Canon Land and Water Association |
| 44 | 1, 5 | 5 | San Gabriel County Water District |
| 45 | 1, 4, 5 | 1, 4 | San Gabriel Valley Water Company (El Monte) |
| 46 | 5 | 5 | Santa Clarita Water Division - Castaic Lake Water Agency |
| 47 | 2 | 2 | Satwa L.A. County Water District |
| 48 | 5 | 5 | Shadow Acres Mutual Water Company |
| 49 | 1, 4, 5 | 1, 4, 5 | Suburban Water Systems (Covina Knolls, Glendora, La Mirada, San Jose, Whittier) |
| 50 | 5 | 5 | Sundale Mutual Water Company |
| 51 | 5 | 5 | Sunny Slope Water Company |
| 52 | 5 | 5 | Sunnyside Farms Mutual Water Company |
| 53 | 1, 5 | 5 | Valencia Heights Water Company |
| 54 | 5 | 5 | Valencia Water Company |
| 55 | 1 | 1 | Walnut Park Mutual Water Company |
| 56 | 1, 4, 5 | 1, 4 | Walnut Valley Water District |
| 57 | 5 | 5 | West Side Park Mutual Water Company |
| 58 | 5 | 5 | West Valley County Water District |
| 59 | 5 | 5 | White Fence Farms Mutual Water Company |
| 60 | 5 | 5 | Wilsona Gardens Mutual Water Company |
| 61 | 5 | 5 | Palmdale Water District |

*This table lists water purveyors and their corresponding Supervisory District service areas within the unincorporated County of Los Angeles. Some of these water purveyors simultaneously serve city areas.



SUPERVISORIAL DISTRICT 1
SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS

| WATER COMPANY | Rec'd Survey Response (Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|---|-----------------------------|--|--|--|--|---|---|---|---|--|--|---|------------------------|--|---|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANS | Comments | | | | |
| Azusa Light and Water | Y | Yes | | Yes | | Yes | If purchased water costs increase temporarily, temporary adjustments to water bills are made. | No | | No | | Charter Oak (599), Citrus (599) | 1 | 25,000 | MWD |
| California Water Service Company (East Los Angeles) | Y | Yes | | Yes | | Yes | The CWSC fees and rates will only change once tariffs filed with the California Public Utilities Commission have been reviewed and approved. | No | The CWSC Urban Water Management Plan will be updated in the near future but this update is not a result of the drought proclamation. | No | CWSC lacks the authority to impose any of the above mentioned requirements. | East Los Angeles - City Terrace (635) | 1 | 26,400 | MWD |
| City of Covina | Y | No | | Yes | | Yes | | Yes | | Yes | | Citrus (599) | 1 | 8,261 | Three Valleys Municipal Water District MWD |
| Golden State Water Company | Y | Yes | GSWC will continue to issue Will Serve letters to applicants located within our current service areas. This is a condition of the CPUC. | Yes | GSWC will continue to issue new service connections to ministerial developments in accordance with GSWC's Rule 15 on file with the CPUC. | No | GSWC does not expect to impose new fees for new water supplies or improved water supply reliability, however; as a condition of service, GSWC may require the applicant augment the water supply. | No | GSWC does not plan to revise any previously approved water supply assessments, environmental documents, and/or urban water management plans. | No | GSWC does not plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures. | Florence (674), South San Gabriel (636), South Whittier (707) | 1 | 99,251 | Groundwater Upper San Gabriel Metropolitan Water District MWD |
| La Puente Valley County Water District | Y | Yes | | Yes | | No | | Yes | | No | | South San Jose Hills (678), Valinda (638) | 1 | 2,400 | Groundwater |
| Orchard Dale Water District | Y | Yes | However, the District is considering adopting a policy that would require developers to provide either the water or funds to offset increased water demand resulting from development. | Yes | | Yes | | No | | Yes | Recycled water not available in our service area. | South Whittier (707), Sunshine Acres (707) | 1 | 4,173 | Groundwater MWD |
| Rowland Water District | Y | Yes | | Yes | | Yes | | No | | Yes | Monitor use ordinance | Rowland Heights (678), South San Jose Hills (678) | 1 | 13,500 | MWD |
| San Gabriel Valley Water Company | Y | Yes | SGVWC is a public water utility regulated by the California Public Utilities Commission. The Company is required to provide water service to any applicant who requests water service in the Company's Commission-approved service area. | Yes | See response to Q1. | No | | Yes | The Company plans to update its Urban Water Management Plan in accordance with the prescribed update schedule which calls for updates at five year intervals. | Yes | The Company delivered approximately 1830 acres feet of recycled water to customers during the fiscal year ended June 30, 2008, and intends to continue to increase both the number of recycled water customers and the quantity of recycled water delivered. | Avocado Heights (637), Basset (637), Hacienda Heights (678), Los Nietos (706), South San Gabriel (636), West Whittier (676), Whittier Narrows (677) | 1 | 48,816 | Groundwater MWD |

SUPERVISORIAL DISTRICT 1


SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS

| WATER COMPANY | Rec'd Survey Response (Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|----------------------------------|-----------------------------|--|--|--|---|--|---|------------------------|--|------------------------|
| | | ANSW Comments | ANSW Comments | ANSW Comments | ANSW Comments | ANS Comments | | | | |
| Suburban Water Systems | Y | Yes We are currently built-out and only have small fill-in development within our service area. | Yes | No | No | Yes Suburban has plans to offer recycled water in certain areas, and also plans to begin offering conservation incentives. However, as an investor-owned water utility regulated by the California Public Utilities, Suburban Water Systems has very limited ability to impose requirements for new development. | Valinda (638), West Puente Valley (638) | 1 | 73,000 | Groundwater MWD |
| Walnut Park Mutual Water Company | Y | No | Yes | No | No | No | Florence (674), Walnut Park (704) | 1 | 2,800 | Groundwater MWD |
| Walnut Valley Water District | Y | Yes The District will continue issuing Will Serve Letters. | Yes The District will continue to provide water services to new ministerial development projects. | No To be determined. The District currently collect both an acreage supply charge and reservoir capacity charge on all new developments to fund required system improvements as a result of increased land use, currently these fees are also being used for various water reclamation and local water resource projects aimed at reducing the District's overall dependency on imported water. The issue of new or increased development fees for new water supplies or system reliability will be addressed with the Board of Directors over the next three to six months to determine the need and/or amount of such new fees or increases. | No The District's Urban Water Management Plan will be updated in accordance with the required schedule. The one approved Water Supply Assessment (Industry Business Center Project) will only be changed as a result of significant changes to the proposed development, and as a result of the environmental review process. | Yes The District has operated a recycled water system since 1986 and as result has required new development to utilize recycled water to offset non-potable demands since that time. However, potential increased fees mentioned above may be utilized to fund offsite recycled water projects or conservation programs in other areas as means of minimizing the impact of new demands. | Rowland Heights (679) | 1 | 26,000 | MWD |

| | |
|----------------------------|----|
| Total Surveys Received | 11 |
| Total Surveys Not Received | 0 |

| | Q1 | Q2 | Q3 | Q4 | Q5 |
|-------------------------|----|----|----|----|----|
| Total "Yes" Responses | 9 | 11 | 5 | 3 | 6 |
| Total "No" Responses | 2 | 0 | 6 | 8 | 5 |
| Total "N/A" Responses | 0 | 0 | 0 | 0 | 0 |
| Total "Did not respond" | 0 | 0 | 0 | 0 | 0 |
| Total Responses | 11 | 11 | 11 | 11 | 11 |


Water Purveyors Surveyed Supervisorial District 1



LEGEND

| NO. | SD | SD UNINC* | WATER PURVEYOR |
|-----|---------------|------------|---|
| 2 | 1, 5 | 1, 5 | Azusa Light and Water (City of Azusa) |
| 4 | 1, 2, 5 | 2, 5 | California American Water Company (Rosemead) |
| 6 | 1 | 1 | California Water Service Company (East Los Angeles) |
| 13 | 1, 2, 4, 5 | 1, 2, 4, 5 | Golden State Water Company |
| 18 | 1 | 1 | La Puente Valley County Water District |
| 35 | 1, 2, 3, 4, 5 | 2, 3, 4 | Los Angeles, Department of Water & Power (City of LA) |
| 38 | 1, 4 | 1, 4 | Orchard Dale Water District |
| 40 | 1, 2, 4 | 1, 2, 4 | Park Water Company (Bellflower, Norwalk, Compton, Lynwood) |
| 42 | 1, 4, 5 | 1, 4 | Rowland Water District |
| 44 | 1, 5 | 5 | San Gabriel County Water District |
| 45 | 1, 4, 5 | 1, 4 | San Gabriel Valley Water Company (El Monte) |
| 49 | 1, 4, 5 | 1, 4, 5 | Suburban Water Systems (Covina Knolls, Glendora, La Mirada, San Jose, Whittier) |
| 53 | 1, 5 | 5 | Valencia Heights Water Company |
| 55 | 1 | 1 | Walnut Park Mutual Water Company |
| 56 | 1, 4, 5 | 1, 4 | Walnut Valley Water District |

*This table lists water purveyors and their corresponding Supervisorial District service areas within the unincorporated County of Los Angeles. Some of these water purveyors simultaneously serve city areas.



File C:\MyFiles\GIS\WaterPurveyorMap\SD1.mxd - by JH - 10/02/2008

Data contained in this map is produced in whole or part from the Thomas Bros. Maps®. This map is copyrighted, and reproduced with permission granted, by Thomas Bros. Maps®. All rights reserved.

Water Purveyor information contained in this map is presented "as-is" and was created from the best information available. Los Angeles County expressly disclaims any liability for any inaccuracies which may be in this map.



**SUPERVISORIAL DISTRICT 2
SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS**

| WATER COMPANY | Rec'd Survey Response(Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|---|----------------------------|--|---|--|--|---|---|---|--|--|---|--|------------------------|--|---|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | | | | |
| California American Water Company | Y | N/A | | Yes | | No | | No | | No | | View Park (673), Windsor Hills (673) | 2 | 10,000 | MWD |
| City of Los Angeles Department of Water & Power | Y | Yes | | Yes | | Yes | | Yes | | Yes | | Marina del Rey (672) | 2 | 680,000 | MWD |
| Golden State Water Company | Y | Yes | GSWC will continue to issue Will Serve letters to applicants located within our current service areas. This is a condition of the CPUC. | Yes | GSWC will continue to issue new service connections to ministerial developments in accordance with GSWC's Rule 15 on file with the CPUC. | No | GSWC does not expect to impose new fees for new water supplies or improved water supply reliability, however; as a condition of service, GSWC may require the applicant augment the water supply. | No | GSWC does not plan to revise any previously approved water supply assessments, environmental documents, and/or urban water management plans. | No | GSWC does not plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures. | Athens (734), Del Aire (733), Florence (674), Ladera Heights (672), Lennox (703), Westmont (703) | 2 | 99,251 | Groundwater:Upper San Gabriel Metropolitan Water District:MWD |
| Lynwood Park Mutual Water Company | Y | Yes | | Yes | | Yes | | Yes | | Yes | | Willowbrook (734) | 2 | 500 | Groundwater |
| Park Water Company | Y | Yes | | Yes | | No | Under the auspices of the CPUC, we do not have regulatory authority for these fees. | No | We will change our UWMP to reflect conditions at the next normal cycle date in 2010 | No | Under the auspices of the CPUC, we do not have regulatory authority to impose those types of requirements. | East Rancho Dominguez (735), Willowbrook (734) | 2 | 27,000 | Groundwater:MWD |
| Sativa L.A. County Water District | Y | No | | No | | No | New fees charges for pool facilities. | No | | No | | Willowbrook (734) | 2 | 7,000 | Groundwater |

| | |
|----------------------------|---|
| Total Surveys Received | 6 |
| Total Surveys Not Received | 0 |

| | Q1 | Q2 | Q3 | Q4 | Q5 |
|-------------------------|----|----|----|----|----|
| Total "Yes" Responses | 4 | 5 | 2 | 2 | 2 |
| Total "No" Responses | 1 | 1 | 4 | 4 | 4 |
| Total "N/A" Responses | 1 | 0 | 0 | 0 | 0 |
| Total "Did not respond" | 0 | 0 | 0 | 0 | 0 |
| Total Responses | 6 | 6 | 6 | 6 | 6 |

Water Purveyors Surveyed Supervisory District 2



Data contained in this map is produced in whole or part from the Thomas Bros. Maps ©. This map is copyrighted, and reproduced with permission granted, by Thomas Bros. Maps ©. All rights reserved.

Water Purveyor information contained in this map is presented "as-is" and was created from the best information available. Los Angeles County expressly disclaims any liability for any inaccuracies which may be in this map.

LEGEND

| NO. | SD | SD UNINC* | WATER PURVEYOR |
|-----|---------------|------------|--|
| 4 | 1, 2, 5 | 2, 5 | California American Water Company- (Rosemead) |
| 13 | 1, 2, 4, 5 | 1, 2, 4, 5 | Golden State Water Company |
| 35 | 1, 2, 3, 4, 5 | 2, 3, 4 | Los Angeles; Department of Water & Power (City of LA) |
| 36 | 2 | 2 | Lynwood Park Mutual Water Company |
| 40 | 1, 2, 4 | 1, 2, 4 | Park Water Company - (Bellflower, Norwalk, Compton, Lynwood) |
| 47 | 2 | 2 | Sativa L.A. County Water District |

*This table lists water purveyors and their corresponding Supervisory District service areas within the unincorporated County of Los Angeles. Some of these water purveyors simultaneously serve city areas.



**SUPERVISORIAL DISTRICT 3
SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS**

| WATER COMPANY | Rec'd Survey Response(Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|--|----------------------------|--|----------|--|----------|---|---|---|--|--|--|--|------------------------|--|------------------------|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | | | | |
| City of Los Angeles Department of Water <input type="checkbox"/> Power | Y | Yes | | Yes | | Yes | | Yes | | Yes | | University City (563), Santa Monica Mountains National Rec. Area (592), Veteran Administration Center (631), L.A. National Cemetery (631) | 3 | 680,000 | MWD |
| LACo WW District <input type="checkbox"/> 29 | Y | Yes | | Yes | | No | The District has a connection fee program that is updated annually. The District may consider a future water supply reliability program to supplement its existing connection fee program, which can already be used to fund water supply reliability projects. | No | At this time the District does not have plans to update its Urban Water Management Plans until 2010 or update previously approved environmental documents. The District has not prepared any water supply assessments. | Yes | The District encourages the use of recycled water wherever it is available and has an application. The District is working with the Los Angeles County to implement ordinances that will advance the use of recycled water and require water conserving measures be incorporated into new development. | Agoura (558), Topanga (590) | 3 | 8,000 | MWD |
| Las Virgenes Municipal Water District | Y | Yes | | Yes | | No | | Yes | | Yes | | Agoura (558), Mulholland Corridor - Cornell (587), Mulholland Corridor - Malibou Lake (588), Mulholland Corridor - Malibu Bowl (628), Mulholland Corridor - Monte Nido (629) | 3 | 20,000 | MWD |

| | |
|----------------------------|---|
| Total Surveys Received | 3 |
| Total Surveys Not Received | 0 |

| | Q1 | Q2 | Q3 | Q4 | Q5 |
|-------------------------|----|----|----|----|----|
| Total "Yes" Responses | 3 | 3 | 1 | 2 | 3 |
| Total "No" Responses | 0 | 0 | 2 | 1 | 0 |
| Total "N/A" Responses | 0 | 0 | 0 | 0 | 0 |
| Total "Did not respond" | 0 | 0 | 0 | 0 | 0 |
| Total Responses | 3 | 3 | 3 | 3 | 3 |

Water Purveyors Surveyed Supervisorial District 3



Data contained in this map is produced in whole or part from the Thomas Bros. Maps ©. This map is copyrighted, and reproduced with permission granted, by Thomas Bros. Maps ©. All rights reserved.

Water Purveyor information contained in this map is presented "as-is" and was created from the best information available. Los Angeles County expressly disclaims any liability for any inaccuracies which may be in this map.

LEGEND

| NO. | SD | SD UNINC* | WATER PURVEYOR |
|-----|---------------|-----------|---|
| 21 | 3 | 3 | LACo WW District #29 (Malibu, Northeast LA) |
| 29 | 3, 5 | 3, 5 | Las Virgenes Municipal Water District |
| 35 | 1, 2, 3, 4, 5 | 2, 3, 4 | Los Angeles; Department of Water & Power (City of LA) |

*This table lists water purveyors and their corresponding Supervisorial District service areas within the unincorporated County of Los Angeles. Some of these water purveyors simultaneously serve city areas.

SUPERVISORIAL DISTRICT 4
SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS

| WATER COMPANY | Rec'd Survey Response(Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|--|----------------------------|--|--|--|---|--|---|------------------------|--|---|
| | | ANSW Comments | ANSW Comments | ANSW Comments | ANSW Comments | ANSW Comments | | | | |
| California Domestic Water Company | Y | N/A We only have approximately 400 residential connections, all built out. | N/A All built out. | No | No | No 97% of water sold to other retailers. | Rowland Heights (679) | 4 | ~500 | Groundwater |
| City of Los Angeles Department of Water & Power | Y | Yes | Yes | Yes | Yes | Yes | La Rambla (823), Marina del Rey (672) | 4 | 680,000 | MWD |
| Golden State Water Company | Y | Yes GSWC will continue to issue Will Serve letters to applicants located within our current service areas. This is a condition of the CPUC. | Yes GSWC will continue to issue new service connections to ministerial developments in accordance with GSWC's Rule 15 on file with the CPUC. | No GSWC does not expect to impose new fees for new water supplies or improved water supply reliability, however; as a condition of service, GSWC may require the applicant augment the water supply. | No GSWC does not plan to revise any previously approved water supply assessments, environmental documents, and/or urban water management plans. | No GSWC does not plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures. | South Whittier (707) | 4 | 99,251 | Groundwater: Upper San Gabriel Metropolitan Water District: MWD |
| La Habra Heights County Water District | Y | N/A All built out. | N/A All built out. | No | No | No | La Habra Heights (708) | 4 | TOTAL ~1,970 County ~65 | Groundwater: Central Basin-MWD |
| Marina Del Rey Water System (LACo WW District ~80) | Y | Yes | Yes | No The District has a connection fee program that is updated annually. The District may consider a future water supply reliability program to supplement its existing connection fee program, which can already be used to fund water supply reliability projects. | No This water system is not mandated by the State to prepare an Urban Water Management Plan. We plan to increase the penalties for excessive water use if we are mandated to implement a mandatory water conservation plan. | Yes The District encourages the use of recycled water wherever it is available and has an application. The District is working with the Los Angeles County to implement ordinances that will advance the use of recycled water and require water conserving measures be incorporated into new development. | Marina del Rey (672) | 4 | 300 | MWD |
| Orchard Dale Water District | Y | Yes However, the District is considering adopting a policy that would require developers to provide either the water or funds to offset increased water demand resulting from development. | Yes | Yes | No | Yes Recycled water not available in our service area. | South Whittier (707) | 4 | 4,173 | Groundwater: MWD |
| Rowland Water District | Y | Yes | Yes | Yes | No | Yes Monitor use ordinance | Rowland Heights (679) | 4 | 13,500 | MWD |
| San Gabriel Valley Water Company | Y | Yes SGVWC is a public water utility regulated by the California Public Utilities Commission. The Company is required to provide water service to any applicant who requests water service in the Company's Commission-approved service area. | Yes See response to Q1. | No | Yes The Company plans to update its Urban Water Management Plan in accordance with the prescribed update schedule which calls for updates at five year intervals. | Yes The Company delivered approximately 1830 acres feet of recycled water to customers during the fiscal year ended June 30, 2008, and intends to continue to increase both the number of recycled water customers and the quantity of recycled water delivered. | Hacienda Heights (678), Los Nietos (706), West Whittier (676) | 4 | 48,816 | Groundwater: MWD |



SUPERVISORIAL DISTRICT 4
SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS

| WATER COMPANY | Rec'd Survey Response(Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|------------------------------|----------------------------|--|--|--|---|--|------------------------|------------------------|--|------------------------|
| | | ANSW Comments | ANSW Comments | ANSW Comments | ANSW Comments | ANSW Comments | | | | |
| Suburban Water Systems | Y | Yes We are currently built-out and only have small fill-in development within our service area. | Yes | No | No | Yes Suburban has plans to offer recycled water in certain areas, and also plans to begin offering conservation incentives. However, as an investor-owned water utility regulated by the California Public Utilities, Suburban Water Systems has very limited ability to impose requirements for new development. | Hacienda Heights (677) | 4 | 73,000 | Groundwater/MWD |
| Walnut Valley Water District | Y | Yes The District will continue issuing Will Serve Letters. | Yes The District will continue to provide water services to new ministerial development projects. | No To be determined. The District currently collect both an acreage supply charge and reservoir capacity charge on all new developments to fund required system improvements as a result of increased land use, currently these fees are also being used for various water reclamation and local water resource projects aimed at reducing the District's overall dependency on imported water. The issue of new or increased development fees for new water supplies or system reliability will be addressed with the Board of Directors over the next three to six months to determine the need and/or amount of such new fees or increases. | No The District's Urban Water Management Plan will be updated in accordance with the required schedule. The one approved Water Supply Assessment (Industry Business Center Project) will only be changed as a result of significant changes to the proposed development, and as a result of the environmental review process. | Yes The District has operated a recycled water system since 1986 and as result has required new development to utilize recycled water to offset non-potable demands since that time. However, potential increased fees mentioned above may be utilized to fund offsite recycled water projects or conservation programs in other areas as means of minimizing the impact of new demands. | Rowland Heights (679) | 4 | 26,000 | MWD |

| | |
|----------------------------|----|
| Total Surveys Received | 10 |
| Total Surveys Not Received | 0 |

| | Q1 | Q2 | Q3 | Q4 | Q5 |
|-------------------------|----|----|----|----|----|
| Total "Yes" Responses | 8 | 8 | 3 | 2 | 7 |
| Total "No" Responses | 0 | 0 | 7 | 8 | 3 |
| Total "N/A" Responses | 2 | 2 | 0 | 0 | 0 |
| Total "Did not respond" | 0 | 0 | 0 | 0 | 0 |
| Total Responses | 10 | 10 | 10 | 10 | 10 |

Water Purveyors Surveyed Supervisorial District 4



Data contained in this map is produced in whole or part from the Thomas Bros. Maps ©. This map is copyrighted, and reproduced with permission granted, by Thomas Bros. Maps ©. All rights reserved.

Water Purveyor information contained in this map is presented "as-is" and was created from the best information available. Los Angeles County expressly disclaims any liability for any inaccuracies which may be in this map.

LEGEND

| NO. | SD | SD UNINC* | WATER PURVEYOR |
|-----|---------------|------------|---|
| 5 | 4 | 4 | California Domestic Water Company |
| 13 | 1, 2, 4, 5 | 1, 2, 4, 5 | Golden State Water Company |
| 17 | 4 | 4 | La Habra Heights County Water District |
| 25 | 4 | 4 | Marina del Rey Water System |
| 35 | 1, 2, 3, 4, 5 | 2, 3, 4 | Los Angeles; Department of Water & Power (City of LA) |
| 38 | 1, 4 | 1, 4 | Orchard Dale Water District |
| 40 | 1, 2, 4 | 1, 2, 4 | Park Water Company - (Bellflower, Norwalk, Compton, Lynwood) |
| 42 | 1, 4, 5 | 1, 4 | Rowland Water District |
| 45 | 1, 4, 5 | 1, 4 | San Gabriel Valley Water Company (El Monte) |
| 49 | 1, 4, 5 | 1, 4, 5 | Suburban Water Systems (Covina Knolls, Glendora, La Mirada, San Jose, Whittier) |
| 56 | 1, 4, 5 | 1, 4 | Walnut Valley Water District |

*This table lists water purveyors and their corresponding Supervisorial District service areas within the unincorporated County of Los Angeles. Some of these water purveyors simultaneously serve city areas.

SUPERVISORIAL DISTRICT 5

SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS

| WATER COMPANY | Rec'd Survey Response (Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisory District | Size (Number of connections for all service areas) | Source of Water Supply |
|--|-----------------------------|--|---|--|---|---|---|---|--|--|---|---|----------------------|--|---|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | | | | |
| Aqua-J Mutual Water Company | Y | No | | No | | No | | No | | No | | Del Sur (4013) | 5 | 50 | Groundwater |
| Azusa Light and Water | Y | Yes | | Yes | | Yes | If purchased water costs increase temporarily, temporary adjustments to water bills are made. | No | | No | | Charter Oak (599), Citrus (599) | 5 | 25,000 | MWD |
| Big Rock Mutual Water Company | Y | N/A | | N/A | | N/A | | N/A | | N/A | | No Connections Service | 5 | 0 | n/a |
| California American Water Company | Y | N/A | | Yes | | No | | No | | No | | East San Gabriel (596), San Pasqual (566) | 5 | 10,000 | MWD |
| California Water Service Company (Lancaster) | Y | Yes | | Yes | | No | | Yes | | Yes | Doing additional water conservation measures | Green Valley (4192), Quartz Hill (4104) | 5 | 1,100 | Groundwater:AVEK |
| City of Covina | Y | No | | Yes | | Yes | | Yes | | Yes | | Charter Oak (599), Citrus (599) | 5 | 8,261 | Three Valleys Municipal Water District:MWD |
| City of Glendora | Y | Yes | Require drought tolerant landscaping. | Yes | | Yes | | No | | Yes | Just adopted new water conservation ordinance. | Citrus (599) | 5 | 13,000 | Covina Irrigation Company:MWD |
| City of La Verne Water Department | Y | No | As a practice we don't issue will serve letters. We do however confirm if the location is within our service territory. | Yes | | No | Not at this time.. | No | The plan included drought projections. | No | Not at this time.. | Foothill (570) | 5 | 8,200 | Three Valleys Municipal Water District:MWD |
| Crescenta Valley Water District | Y | Yes | The District is 99% developed. Most permit applications are for remodels. | Yes | | Yes | Connection fees will be reviewed and updated | No | Next UWMP is due for update in 2010 | Yes | Recycled water is not available in this District | La Crescenta (504), Montrose (534) | 5 | 8,200 | Groundwater (60%) :MWD |
| East Pasadena Water Company | Y | Yes | | Yes | | Yes | | No | | No | | East Pasadena (566) | 5 | 2,900 | Groundwater |
| El Dorado Mutual Water Company | Y | No | The distribution system was designed for LA County A2-2 zoning use | Yes | Mutual water companies are shareholder property owner, owned and operated. Water service connections are provided to shareholder property owners only | Yes | | No | | No | No new developments expected. Recycled water is unavailable | Quartz Hill (4104) | 5 | 235 | Groundwater (main resources):AVEK (emergency use only) |
| Golden State Water Company | Y | Yes | GSWC will continue to issue Will Serve letters to applicants located within our current service areas. This is a condition of the CPUC. | Yes | GSWC will continue to issue new service connections to ministerial developments in accordance with GSWC's Rule 15 on file with the CPUC. | No | GSWC does not expect to impose new fees for new water supplies or improved water supply reliability, however; as a condition of service, GSWC may require the applicant augment the water supply. | No | GSWC does not plan to revise any previously approved water supply assessments, environmental documents, and/or urban water management plans. | No | GSWC does not plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures. | Charter Oak (599), East San Gabriel (596) | 5 | 99,251 | Groundwater:Upper San Gabriel Metropolitan Water District:MWD |
| Green Valley County Water District | Y | Yes | Will issue 11 more meters and there will be a waiting list afterward | Yes | If the projects are part of the 11 meters. If not, these projects will be on waiting list | No | | No | | Yes | There is an existing conservation plan in place | Green Valley (4192) | 5 | 488 | Groundwater |
| Kinneloa Irrigation District | Y | Yes | | Yes | | Yes | | No | | No | Would encourage water conservation | Kinneloa Mesa (536) | 5 | 586 | Groundwater |
| La Canada Irrigation District | Y | No | | Yes | | Yes | | Yes | | No | | La Crescenta (504) | 5 | Total:2930 County:60 | MWD |

SUPERVISORIAL DISTRICT 5

SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS

| WATER COMPANY | Rec'd Survey Response (Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|-------------------------------------|-----------------------------|--|--|--|---|---|--|---|--|--|---|---|------------------------|--|------------------------|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | | | | |
| LACo WW District 21 | Y | Yes | The water source of supply to the District was already very limited prior to the recent drought. We are only issuing will-serve letters for single lot construction on a case-by-case basis. | Yes | See response to Q1. | No | We are not considering a new one for this District. | No | This District is not mandated by the State to prepare an Urban Water Management Plan. We do not plan to revise any water supply related documents. | Yes | The District encourages the use of recycled water wherever it is available and has an application. The District is working with the Los Angeles County to implement ordinances that will advance the use of recycled water and require additional water conserving measures be incorporated into new development. | Kagel Canyon (482) | 5 | 250 | LADWP |
| LACo WW District 36 | Y | Yes | | Yes | | No | The District has an existing connection fee program. Additionally, the District is considering a future water supply reliability fee program to supplement its existing connection fee program, which can already be used to fund water supply reliability projects. | No | This District is not mandated by the State to prepare an Urban Water Management Plan. We do not plan to revise any water supply related documents. | Yes | The District encourages the use of recycled water wherever it is available and has an application. The District is working with the Los Angeles County to implement ordinances that will advance the use of recycled water and require additional water conserving measures be incorporated into new development. | Val Verde (4459) | 5 | 1,320 | CLWA |
| LACo WW District 37 | Y | Yes | On a case-by-case basis | Yes | | No | The District has an existing connection fee program. The District is considering a future water supply reliability fee program to supplement its existing connection fee program, which can already be used to fund water supply reliability projects. | No | This District is not mandated by the State to prepare an Urban Water Management Plan. We do not plan to revise any water supply related documents. | Yes | The District encourages the use of recycled water wherever it is available and has an application. The District is working with the Los Angeles County to implement ordinances that will advance the use of recycled water and require additional water conserving measures be incorporated into new development. | Acton (4465) | 5 | 1,380 | Groundwater/AVEK |
| LACo WW District 40 | Y | No | | Yes | | No | The District has an existing water supply reliability fee program that is updated on an annual basis. The District may consider increasing is recycled water fee substantially to fund a backbone recycled water system for the Antelope Valley. | Yes | This District may revise its Urban Water Management Plans or previously approved water supply assessments and environmental documents. | Yes | The District encourages the use of recycled water wherever it is available and has an application. The District is working with the Los Angeles County to implement ordinances that will advance the use of recycled water and require additional water conserving measures be incorporated into new development. | Hi Vista (4288), Lake Los Angeles (4199), Littlerock (4377), Pearblossom (4378), Quartz Hill (4104), Sun Village (4197) | 5 | 54,000 (7,560 in unincorporated Count area) | Groundwater/AVEK |
| Lake Elizabeth Mutual Water Company | Y | No | | Yes | Any lot that have there assessment up to date. Mutual water company bylaws. | Yes | Rate increase effective October 2008, 4 tier rate, drilling wells | No | | Yes | | Del Sur (4013), Elizabeth Lake (4102) | 5 | 725 | Aqueduct/AVEK |

**SUPERVISORIAL DISTRICT 5
SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS**

| WATER COMPANY | Rec'd Survey Response (Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|---------------------------------------|-----------------------------|--|--|--|---|---|---|---|---|--|--|--|------------------------|--|---|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | | | | |
| Land Project Mutual Water Company | N | Did not respond | | Did not respond | | Did not respond | | Did not respond | | Did not respond | | Antelope Acres (3923), Del Sur (4013) | 5 | n/a | Groundwater |
| Las Flores Water Company | Y | No | | Yes | | Yes | | Yes | | No Unless there is new development | | Altadena (535) | 5 | 1,473 | MWD Groundwater |
| Las Virgenes Municipal Water District | Y | Yes | | Yes | | No | | Yes | | Yes | | West Chatsworth (499) | 5 | 20,000 | MWD |
| Lincoln Avenue Water Company | Y | No | Resolution adopted establishing a moratorium on new water service connections (resolution enclosed) | No | See response to Q1. | No | Not at the moment. | No | Not at the moment. | Yes | If recycled water is available. | Altadena (535) | 5 | 4,500 | Groundwater (70%) MWD(30%) |
| Little Baldy Mutual Water Company | Y | N/A | | N/A | | Yes | | N/A | | N/A | | Valyermo (4469) | 5 | 40 | Groundwater |
| Littlerock Creek Irrigation District | Y | Yes | | Yes | | Yes | | No | | No | | Littlerock (4377), Pearblossom (4378) | 5 | 1,150 | Groundwater |
| Llano Del Rio Water Company | Y | Yes | L.A. County Health Services Water Program has notified us that they no longer accept will Serve Letters. | Yes | | Yes | New fees may be assessed for major capital improvements | No | | Yes | Recycled water will not be utilized but additional water conservation measures may be necessary. | Llano (4379) | 5 | 200 | Groundwater |
| Llano Mutual Water Company | Y | Yes | L.A. County Health Services Water Program has notified us that they no longer accept will Serve Letters. | Yes | | Yes | New fees may be assessed for major capital improvements | No | | Yes | Recycled water will not be utilized but additional water conservation measures may be necessary. | Llano (4379) | 5 | 200 | Groundwater |
| Newhall County Water District | Y | Yes | | Yes | | No | NCWD has a Connection Fee Policy in place that is updated annually. Currently, NCWD plans on investigating the establishment of a recycled water fee component that would be added to the Connection Fee Policy. In addition, NCWD has been actively participating in the update of Castaic Lake Water Agency's Facility Connection Fee program which includes fees for the expansion of the Santa Clarita Valley's recycled water and supply reliability programs. | No | NCWD will continue to utilize its 2005 Urban Water Management Plan, supplemented with available information including the California Department of Water Resources "Draft State Water Project Delivery Reliability Report 2007", issued in December 2007, until such time as sufficient additional information becomes available to warrant updating the 2005 plan or the 2010 Urban Water Management Plan is prepared. | Yes | NCWD will continue working with the County of Los Angeles and the City of Santa Clarita to implement ordinances that will advance the use of recycled water and require additional water conserving measures be incorporated into new development. | Bouquet Canyon (4461), Canyon Country (4462), Castaic (4369), Forrest Park (4462), Mint Canyon (4551), Newhall (4551), Saugus (4461) | 5 | 9,600 | CLWA |
| Palm Ranch Irrigation District | Y | No | | Yes | | Yes | | Yes | | Yes | | Quartz Hill (4104) | 5 | 1,700 | Groundwater AVEK |
| Palmdale Water District | Y | Yes | | Yes | | Yes | | Yes | | Yes | We are going to impose new water conservation measures in the future | Juniper Hills (4468), Lakeview (4285), Littlerock (4377), Llano (4379), Longview (4379) | 5 | 25,200 | Aqueduct Little Rock Reservoir Groundwater |
| Quartz Hill Water District | Y | Yes | However we are revisiting this topic to possibly suspend the issuance of any new will serves in the future | Yes | But again we will discuss this topic in the future. | No | The board of directors has been talking about this topic for the past year it might happen now | No | Not at the moment. | No | But again we will discuss this topic in the future. | Quartz Hill (4104) | 5 | 5,200 | Groundwater AVEK |
| Rowland Water District | Y | Yes | | Yes | | Yes | | No | | Yes | Monitor use ordinance | Rowland Heights (679) | 5 | 13,500 | MWD |

**SUPERVISORIAL DISTRICT 5
SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS**

| WATER COMPANY | Rec'd Survey Response (Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|--|-----------------------------|--|---|--|---|---|---|---|--|--|--|---|------------------------|--|------------------------------|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | | | | |
| Rubio Canon Land and Water Association | Y | No | Yes, if they are pending. No new will serve letters will be issued. | No | | Yes | Our water rates will increase due to the increase in Edison and Metropolitan Water rate increases. | N/A | | No | We do not have pipelines to deliver recycled water. We have already asked our customers to conserve and we are constantly reminding them on our water bills. | Altadena (535) | 5 | 39 | Groundwater/MWD |
| San Gabriel County Water District | Y | Yes | | Yes | | No | | No | | No | | East San Gabriel (596) | 5 | Total 8,700, County 4,000 | Groundwater |
| Santa Clarita Water Division - Castaic Lake Water Agency | Y | Yes | | Yes | | Yes | The SCWD is currently in the process of reviewing and updating its water connection and impact fee policy. In addition, SCWD has been actively participating in the update of Castaic Lake Water Agency's Facility Capacity Fee program which includes fees for the expansion of the Santa Clarita Valley's recycled water and supply reliability programs. | No | SCWD will continue to utilize the 2005 Urban Water Management Plan to be consistent with the latest information governing deliveries from the State Water Project provided by the California Department of Water Resources "Draft State Water Project Delivery Reliability Report 2007", issued in December 2007. SCWD will consider updating its UWMP at such time when sufficient additional information becomes available to warrant updating the 2005 plan or as required in 2010. | Yes | SCWD will continue working with the Los Angeles County and the City of Santa Clarita to implement ordinances that will advance the use of recycled water and require additional water conservation and efficiency measures be incorporated into new development. | Canyon Country (4461) | 5 | 28,000 | CLWA |
| Shadow Acres Mutual Water Company | Y | No | The distribution system was designed for LA County A2-2 zoning use | Yes | Mutual water companies are shareholder property owner, owned and operated. Water service connections are provided to shareholder property owners only | Yes | | No | | No | No new developments expected. Recycled water is unavailable | Quartz Hill (4104) | 5 | 160 | Groundwater (60%) AVEK (40%) |
| Suburban Water Systems | Y | Yes | We are currently built-out and only have small fill-in development within our service area. | Yes | | No | | No | | Yes | Suburban has plans to offer recycled water in certain areas, and also plans to begin offering conservation incentives. However, as an investor-owned water utility regulated by the California Public Utilities, Suburban Water Systems has very limited ability to impose requirements for new development. | Valinda (638) | 5 | 73,000 | Groundwater/MWD |
| Sundale Mutual Water Company | Y | Yes | | Yes | | Yes | | No | | No | | Antelope Acres (3923), Del Sur (4013) | 5 | 230 | Groundwater/AVEK |
| Sunny Slope Water Company | Y | Yes | We don't anticipate much growth. | Yes | | Yes | It will be part of our rate structure. | Yes | | No | We will implement water conservation measures. | East Pasadena (566), East San Gabriel (596) | 5 | 6,208 | Groundwater |

SUPERVISORIAL DISTRICT 5

SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS

| WATER COMPANY | Rec'd Survey Response (Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|--|-----------------------------|--|---|--|--|---|---|---|---|--|---|--|------------------------|--|---|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | | | | |
| Sunnyside Farms Mutual Water Company | Y | No | The distribution system was designed for LA County A2-2 zoning use | Yes | Mutual water companies are shareholder property owner, owned and operated. Water service connections are provided to shareholder property owners only | Yes | | No | | No | No new developments expected. Recycled water is unavailable | Quartz Hill (4104) | 5 | 158 | Groundwater: AVEK |
| Valencia Heights Water Company | Y | Yes | Case by case basis | Yes | For single lot only | Yes | | No | | No | Maybe in the future | Ramona (599) | 5 | 600 | Groundwater: Three Valley Municipal Water District |
| Valencia Water Company | Y | Yes | | Yes | | No | Not at this time. The Valencia Water Company (Valencia) is a public water utility regulated by the CPUC. Valencia's general rates and charges are reviewed and approved every three years by the CPUC in a proceeding known as a general rate case. If Valencia proposes projects that require investment in new water supplies or water supply reliability projects, the CPUC ultimately determines the appropriate method of recovery of costs or return on investment. Valencia has been actively participating in the update of Castaic Lake Water Agency's Facility Capacity Fee program which includes fees for the expansion of the Santa Clarita Valley's recycled water and supply reliability programs. | No | Valencia has revised its water supply assessments and 2005 Urban Water Management Plan to be consistent with the latest information governing deliveries from the State Water Project provided by the California Department of Water Resources "Draft State Water Project Delivery Reliability Report 2007", issued in December 2007. This information was summarized in a letter dated February 5, 2008 from Dan Masnada of Castaic Lake Water Agency to Bruce McClendon, Los Angeles County Department of Regional Planning. Valencia will consider updating its UWMP at such time when sufficient additional information becomes available to warrant updating the 2005 plan or as required in 2010. | Yes | Valencia will continue working with the Los Angeles County and the City of Santa Clarita to implement ordinances that will advance the use of recycled water and require additional water conserving measures be incorporated into new development. | Castaic Junction (4459), Stevenson Ranch (4640), Valencia (4550) | 5 | 28,300 | CLWA |
| West Side Park Mutual Water Company | Y | No | Because of the drought and the pending adjudication we cannot issue any new will serve letters in our mutual water company. Wells are our only water source. We don't know how much water we will be allowed to pump. | Yes | All shareholders have paid for water improvements through a monthly assessment on their water shares so we are obligated. Under present zoning we don't expect much new development. | Yes | We don't have the access to State water but we do charge fees that pay the bank loan for additional storage, a backup well, and emergency generator. We comply with the TMF requirements of the State and County DPH. | Yes | Yes, we will lobby harder for wellhead protection to insure the safety of our groundwater. Cooperation of the City of Palmdale and LA County Planning is vital to this effort. | Yes | We are requiring all development to conserve water and have adopted a tiered water billing to force compliance. We also fine water wasters. | Quartz Hill (4104) | 5 | 155 | Groundwater (main resources): AVEK (emergency use only) |
| West Valley County Water District | Y | Yes | | N/A | | No | | N/A | N/A | No | | Antelope Acres (3923) | 5 | 277 | Groundwater |
| White Fence Farms Mutual Water Company | Y | Yes | | Yes | | No | | No | | No | | Quartz Hill (4104) | 5 | 450 | AVEK |
| Wilsona Gardens Mutual Water Company | Y | Yes | | Yes | | Yes | Maybe in the future | N/A | | N/A | | Wilsona Gardens (4109) | 5 | □ 200 | |

**SUPERVISORIAL DISTRICT 5
SURVEY OF WATER COMPANIES SERVING UNINCORPORATED COUNTY AREAS**

| WATER COMPANY | Rec'd Survey Response (Y/N) | Q1: Do you plan to continue issuing will-serve letters for pending discretionary development projects? | | Q2: Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? | | Q3: Do you expect to impose new fees for new water supplies or improved water supply reliability? | | Q4: Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? | | Q5: Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? | | Community Served (TG) | Supervisorial District | Size (Number of connections for all service areas) | Source of Water Supply |
|---------------|-----------------------------|--|----------|--|----------|---|----------|---|----------|--|----------|-----------------------|------------------------|--|------------------------|
| | | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | ANSW | Comments | | | | |

| | |
|----------------------------|----|
| Total Surveys Received | 46 |
| Total Surveys Not Received | 1 |



| | Q1 | Q2 | Q3 | Q4 | Q5 |
|-------------------------|----|----|----|----|----|
| Total "Yes" Responses | 29 | 40 | 26 | 10 | 22 |
| Total "No" Responses | 14 | 3 | 19 | 31 | 21 |
| Total "N/A" Responses | 3 | 3 | 1 | 5 | 3 |
| Total "Did not respond" | 1 | 1 | 1 | 1 | 1 |
| Total Responses | 47 | 47 | 47 | 47 | 47 |

Water Purveyors Surveyed

LEGEND

| NO. | SD | SD UNINC* | WATER PURVEYOR |
|-----|---------------|------------|--|
| 1 | 5 | 5 | Aqua-J Mutual Water Company |
| 2 | 1, 5 | 1, 5 | Azusa Light and Water (City of Azusa) |
| 3 | 5 | 5 | Big Rock Mutual Water Company |
| 4 | 1, 2, 5 | 2, 5 | California American Water Company- (Rosemead) |
| 5 | 4 | 4 | California Domestic Water Company |
| 6 | 1 | 1 | California Water Service Company (East Los Angeles) |
| 7 | 5 | 5 | California Water Service Company - (Lancaster) |
| 8 | 5 | 5 | Covina, City of |
| 9 | 5 | 5 | Crescenta Valley Water District |
| 10 | 5 | 5 | East Pasadena Water Company |
| 11 | 5 | 5 | El Dorado Mutual Water Company |
| 12 | 5 | 5 | Glendora, City of |
| 13 | 1, 2, 4, 5 | 1, 2, 4, 5 | Golden State Water Company |
| 14 | 5 | 5 | Green Valley County Water District |
| 15 | 5 | 5 | Kinneloa Irrigation District |
| 16 | 5 | 5 | La Canada Irrigation District |
| 17 | 4 | 4 | La Habra Heights County Water District |
| 18 | 1 | 1 | La Puente Valley County Water District |
| 19 | 5 | 5 | La Verne Water Department (City of La Verne) |
| 20 | 5 | 5 | LACo WW District #21 (Kagel Canyon) |
| 21 | 3 | 3 | LACo WW District #29 (Malibu, Northeast LA) |
| 22 | 5 | 5 | LACo WW District #36 (Val Verde) |
| 23 | 5 | 5 | LACo WW District #37 (Acton) |
| 24 | 5 | 5 | LACo WW District #40 (Lancaster, Pearlblossom, Northeast LA, Lake LA, Rock Creek System) |
| 25 | 4 | 4 | Marina del Rey Water System |
| 26 | 5 | 5 | Lake Elizabeth Mutual Water Company |
| 27 | 5 | 5 | Land Project Mutual Water Company |
| 28 | 5 | 5 | Las Flores Water Company |
| 29 | 3, 5 | 3, 5 | Las Virgenes Municipal Water District |
| 30 | 5 | 5 | Lincoln Avenue Water Company |
| 31 | 5 | 5 | Little Baldy Mutual Water Company |
| 32 | 5 | 5 | Littlerock Creek Irrigation District |
| 33 | 5 | 5 | Llano Del Rio Water Company |
| 34 | 5 | 5 | Llano Mutual Water Company |
| 35 | 1, 2, 3, 4, 5 | 2, 3, 4 | Los Angeles, Department of Water & Power (City of LA) |
| 36 | 2 | 2 | Lynwood Park Mutual Water Company |
| 37 | 5 | 5 | Newhall County Water District (Castaic, Newhall, Pinetree, Tesoro Del Valle) |
| 38 | 1, 4 | 1, 4 | Orchard Dale Water District |
| 39 | 5 | 5 | Palm Ranch Irrigation District |
| 40 | 1, 2, 4 | 1, 2, 4 | Park Water Company (Bellflower, Norwalk, Compton, Lynwood) |
| 41 | 5 | 5 | Quartz Hill Water District |
| 42 | 1, 4, 5 | 1, 4 | Rowland Water District |
| 43 | 5 | 5 | Rubio Canon Land and Water Association |
| 44 | 1, 5 | 5 | San Gabriel County Water District |
| 45 | 1, 4, 5 | 1, 4 | San Gabriel Valley Water Company (El Monte) |
| 46 | 5 | 5 | Santa Clarita Water Division - Castaic Lake Water Agency |
| 47 | 2 | 2 | Satwa L.A. County Water District |
| 48 | 5 | 5 | Shadow Acres Mutual Water Company |
| 49 | 1, 4, 5 | 1, 4, 5 | Suburban Water Systems (Covina Knolls, Glendora, La Mirada, San Jose, Whittier) |
| 50 | 5 | 5 | Sundale Mutual Water Company |
| 51 | 5 | 5 | Sunny Slope Water Company |
| 52 | 5 | 5 | Sunnyside Farms Mutual Water Company |
| 53 | 1, 5 | 5 | Valencia Heights Water Company |
| 54 | 5 | 5 | Valencia Water Company |
| 55 | 1 | 1 | Walnut Park Mutual Water Company |
| 56 | 1, 4, 5 | 1, 4 | Walnut Valley Water District |
| 57 | 5 | 5 | West Side Park Mutual Water Company |
| 58 | 5 | 5 | West Valley County Water District |
| 59 | 5 | 5 | White Fence Farms Mutual Water Company |
| 60 | 5 | 5 | Wilsona Gardens Mutual Water Company |
| 61 | 5 | 5 | Palmdale Water District |

*This table lists water purveyors and their corresponding Supervisory District service areas within the unincorporated County of Los Angeles. Some of these water purveyors simultaneously serve city areas.



Data contained in this map is produced in whole or part from the Thomas Bros. Maps®. This map is copyrighted, and reproduced with permission granted, by Thomas Bros. Maps®. All rights reserved.

Water Purveyor information contained in this map is presented "as-is" and was created from the best information available. Los Angeles County expressly disclaims any liability for any inaccuracies which may be in this map.



Los Angeles County
Department of Regional Planning

Planning for the Challenges Ahead



Bruce W. McClendon FAICP
Director of Planning

July 16, 2008

GOVERNOR'S STATEWIDE DROUGHT PROCLAMATION

On June 4, 2008, Governor Schwarzenegger proclaimed the first Statewide drought in 16 years because water supplies in California have been significantly depleted due to dry weather conditions. Demands and pressure on our imported water supply continue to mount. Recent court decisions have affected water exports from the Sacramento-San Joaquin Delta because of operational impacts on certain fish populations.

As a result of this proclamation, the County of Los Angeles Board of Supervisors have requested that we consult with the various water agencies that provide water service to the County unincorporated areas and report back on how the drought may impact the land development review process for both discretionary (subdivisions, conditional use permits, zone changes) and ministerial (building permits) applications. In order to be responsive to our Board, we would like to know what we can expect from your agency in regards to requests for water service for new development planned within your service area.

Please answer the enclosed one page questionnaire and respond by fax, e-mail, or postal service by **August 1, 2008**, to :

Mr. Paul McCarthy
County of Los Angeles
Department of Regional Planning
Impact Analysis Section, Room 1348
320 West Temple Street
Los Angeles, CA 90012-3225
Email Address: pmccarthy@planning.lacounty.gov
Fax: (213) 626-0434

July 16, 2008
Page 2

If you have any questions regarding this matter, please contact myself at (213) 974-6461 between the hours of 7:30 a.m. and 6:00 p.m. Monday through Thursday. Our offices are closed on Fridays.

Sincerely,

DEPARTMENT OF REGIONAL PLANNING
Bruce W. McClendon, FAICP
Director of Planning

A handwritten signature in cursive script, appearing to read "Paul McCarthy".

Paul McCarthy, Supervising Regional Planner
Impact Analysis

PMC:PMC:lg

DROUGHT IMPACT QUESTIONNAIRE

1. Do you plan to continue issuing Will Serve letters for pending discretionary development projects (subdivisions, conditional use permits)? Yes No

Comments: _____

2. Do you plan to continue issuing new water service connections to ministerial development projects (building permits on existing legal lots)? Yes No

Comments: _____

3. Do you expect to impose new fees for new water supplies or improved water supply reliability? Yes No

Comments: _____

4. Do you plan to revise your previously approved water supply assessments, environmental documents, and/or urban water management plan? Yes No

Comments: _____

5. Do you plan to impose requirements for new developments to utilize recycled water and/or implement additional water conservation measures? Yes No

Comments: _____

